



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/018,686	03/25/2002	Seiji Onishi	2001-1823A	7787

513 7590 06/01/2006

WENDEROTH, LIND & PONACK, L.L.P.  
2033 K STREET N. W.  
SUITE 800  
WASHINGTON, DC 20006-1021

EXAMINER
----------

BATTAGLIA, MICHAEL V

ART UNIT	PAPER NUMBER
----------	--------------

2627

DATE MAILED: 06/01/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b>		<b>Applicant(s)</b>	
	10/018,686		ONISHI ET AL.	
	<b>Examiner</b>		<b>Art Unit</b>	
	Michael V. Battaglia		2627	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 13 March 2006.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1 and 5-12 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1 and 5-12 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 24 November 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                        | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)               | Paper No(s)/Mail Date. _____  |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                                    |

***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on March 13, 2006 has been entered.

***Claim Rejections - 35 USC § 103***

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1 and 5-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Uchiyama et al (hereafter Uchiyama) (US 6,163,409) in view of Hoshino et al (hereafter Hoshino) (US 5,615,200).

In regard to claim 1, Uchiyama discloses a first light source (Figs. 1 and 2D, element 21) for emitting a first light beam with an arbitrary wavelength (Col. 6, lines 64-67); a second light source (Figs. 1 and 2C, element 11) for emitting a second light beam with a wavelength different from that of the first light source (Col. 6, lines 61-67); a synthesizing unit (Fig. 1, element 13-1) operable to make an optical axis of the first light beam emitted from the first light source coincide with an optical axis of the second light beam emitted from the second light source (Col. 7, lines 49-53); a conversion unit (Fig. 1, element 14) operable to convert a light beam outputted

from the synthesizing unit into substantially parallel light; a converging unit (Fig. 1, element 16) operable to convert a light beam outputted from the conversion unit onto an optical disk (Fig. 1, "Optical Disk"); a light path length conversion unit (Fig. 1, element 15) operable to lengthen light path length of a light, the light path length conversion unit being provided between the synthesizing unit and the converging unit (note that the synthesizing unit and conversion unit are made close to each other while the light path length is lengthened (Pythagorean Theorem)); and a detecting unit (Fig. 1, elements 17 and 27) operable to receive the light beam reflected on the optical disk, wherein when a back focus (Fig. 2D, element A) of the conversion unit for the wavelength of the first light source is  $f_1$  and a back focus (Fig. 2C, element A) of the converting means for the wavelength of the second light source is  $f_2$ , the first light source is located at a position closer to the conversion unit than a position located apart from the conversion unit by  $f_1$  (Fig. 2D), and the second light source is located at a position farther from the conversion unit than a position located apart from the conversion unit by  $f_2$  (Fig. 2C). Uchiyama does not disclose that the light path length conversion unit lengthens the light path length by having the light pass therethrough.

Hoshino discloses a light path length conversion unit (Fig. 9, element 86) operable to lengthen light path length of a light, by having the light pass therethrough (Figs. 9 and 10). In addition to lengthening light path length, the light path length conversion unit of Hoshino has a beam-shaping function which leads to a reduction in manufacturing cost, a decrease in the number of optical elements, and a decrease in the size of the optical pickup device (Col. 14, lines 36-41 and 53-64) as compared with an optical pickup device having separate light path length conversion and beam-shaping units (Fig. 1).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made for light path length conversion unit of Uchiyama to lengthen the light path length by having the light pass therethrough as suggested by Hoshino, the motivation being to additionally provide a beam-shaping function to the light path length conversion unit of Uchiyama without increasing the number of parts or the size of the optical pickup device of Uchiyama.

In regard to claim 5, Hoshino discloses that the light path length conversion unit is made of a material having a refractive index capable of lengthening light path length (inherent that a light path length conversion unit that lengthens light path length has a refractive index capable of lengthening light path length).

In regard to claim 7, Uchiyama discloses that an aperture diaphragm (Fig. 1, element 19) adapted to move with the converging unit and operable to converge a light beam spot of desired size onto the optical disk (Col. 7, lines 35-45).

In regard to claim 9, Uchiyama discloses that when numerical aperture on the side of the optical disk corresponding to the combination of the first light source and the optical disk is made NA1, and numerical aperture on the side of the optical disk corresponding to the combination of the second and the optical disk is made NA2, the following conditional expression is satisfied:  $NA1 < NA2$  (Col. 7, lines 35-42).

In regard to claims 6, 8 and 9, when the imaging magnification of the converging unit with respect to the first light source is made  $m1$ , and imaging magnification of the converging unit with respect to the second light source is made  $m2$ , satisfaction of the following conditional expressions flows naturally from the structure positively claimed and is therefore inherent:  $1.5 \leq$

$(m_2/m_1)$ ,  $|m_1| \leq 0.068$ ,  $|m_2| \leq |m_1|$ . In further support of inherency, the goal of both the claimed optical pickup and the optical pickup of Uchiyama is compatibility with both DVD's and CD's. Inherent to the accomplishment of that goal is the realization of the imaging magnifications respectively required for use with DVD's and CD's. If satisfaction of the conditional expressions is not inherent, then doing so would be obvious. The general conditions of imaging magnifications respectively required for use with DVD's and CD's are disclosed by the structure of the optical pickup of Uchiyama as evidenced by the ability of optical pickup of Uchiyama to record to and reproduce from both DVD's and CD's (Figs. 1, 2C and 2D and Col. 7, line 63-Col. 8, line 65). "[W]here the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation." In re Aller, 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955).

In regard to claim 10, Uchiyama discloses that when the wavelength of the first light beam emitted from the first light source is made  $\lambda_1$ , and the wavelength of the second light beam emitted from the second light source is made  $\lambda_2$ ,  $760 \leq \lambda_1 \leq 810$  nm,  $620 \leq \lambda_2 \leq 680$  nm (Col. 14, lines 56-67).

In regard to claim 11, Uchiyama discloses that the first and second light beams as divergent lights emitted from the first and second light sources are incident on the synthesizing unit, thereby scattering a light reflected on a surface of the synthesizing unit (Fig. 3).

3. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Uchiyama in view of Hoshino as applied to claim 1 above, and further in view of Sasaki et al (hereafter Sasaki) (US 5,493,554).

Uchiyama discloses that the synthesizing unit comprises a polyhedron beam splitter having more than six sides (Fig. 1, element 13-1), and the first and second light sources are positioned such that the synthesizing unit receives the second light beam from a direction that is not perpendicular to a direction of the first light beam (Fig. 1 and Col. 7, lines 49-53). Uchiyama does not disclose that the synthesizing unit comprises a hexahedron beam splitter, and the first and second light sources are positioned such that the synthesizing unit receives the second light beam from a direction perpendicular to a direction of the first light beam.

Sasaki discloses a synthesizing unit (Fig. 1, element 9) comprising a hexahedron beam splitter, and first and second light sources (Fig. 1, elements 1 and 6) that are positioned such that the synthesizing unit receives the second light beam from a direction perpendicular to a direction of the first light beam (Fig. 1) so that “the optical parts can be simply arranged and the optical head can be easily manufactured” and “provided at low costs” (Col. 21, lines 58-63).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made for the synthesizing unit of Uchiyama to comprise a hexahedron beam splitter, and for the first and second light sources of Uchiyama to be positioned such that the synthesizing unit receives the second light beam from a direction perpendicular to a direction of the first light beam as suggested by Sasaki, the motivation being to reduce the complexity of the optical pickup device of Uchiyama through a simple arrangement of optical parts that are easily manufactured. It is noted that Uchiyama teaches that positioning the first and second light sources the synthesizing unit receives the second light beam from a direction that is not perpendicular to a direction of the first light beam will help reduce the size of the optical pickup (Col. 7, lines 49-53). However, the tradeoffs between reduced size brought about by complex

Art Unit: 2627

arrangement of optical parts and reduced cost brought about by simple arrangement of optical parts are notoriously well known in the art. One of ordinary skill in the art at the time of the invention would have found it obvious to forego complexities associated with reduced size in favor of simplicity and the resulting cost reduction, ease of manufacture, and market availability.

### ***Response to Arguments***

4. Applicant's arguments with respect to claims 1-12 have been considered but are moot in view of the new ground(s) of rejection.


### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael V. Battaglia whose telephone number is (571) 272-7568. The examiner can normally be reached on M-F, 8:30-5:00.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William R. Korzuch can be reached on (571) 272-7589. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.



Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Michael Battaglia



THANG V. TRAN  
PRIMARY EXAMINER